




## Country Club Towers Apartment Complex NW 68th Avenue and 186th Street Miami, Florida



## Country Club Towers Apartment Complex NW 68th Avenue and 186th Street Miami, Florida




## Phase II Country Club Towers Apartment Complex NW 68th Avenue and 186th Street Miami, Florida





plant specifications

- 1. Landscape Contractor shall be familiar w/ all work required by these drawings. This shall include all grading plans and detail sheets indicating depths of all plantings on the pool deck. If these sheets are not included, contact General Contractor.
- 2. All plant material furnished by the Landscape Contractor unless otherwise specified in Grades and Standards for Nursery Plants, second edition: February 1998, by the Florida Department of Agriculture and Consumer Services Division of the Plant Industry, shall be Florida Grade #1 or better.
- 3. All shrubs and groundcovers shall be guaranteed for 1 year from date of final acceptance. All trees and palms shall be guaranteed for 1 year from date of final acceptance. Sod shall be guaranteed for 90 days from final acceptance.
- 4. Planting soil shall be weed free and consist of 60% clean silica sand, 30% everglades muck and 10% Canadian peat. All plants shall be installed with planting soil as indicated on details.
- 5. Landscape Contractor shall be responsible for placement of planting soil on raised pool deck. Soil level as indicated on plans and details shall be after settlement.
- 6. Landscape Contractor shall take all steps required to make all planting beds weed and grass free prior to planting.
- 7. Landscape Contractor shall locate and verify all underground utilities prior to digging.
- 8. All trees shall be staked and/or guyed in a good workmanlike manner as per attached details. No nail staking permitted.
- 9. Any wire guys and/or fabric straps shall be flagged w/ flourescent colored tape as shown in details.
- 10. All trees shall be fertilized at installation w/ "Agriform Pills", 21 gram size, w/ a 20-10-5 formulation., (or approved equal) according to manufacturers recommendations.
- 11. All other plants shall be fertilized at installation w/ "Osmacote" time release pellets (or approved equal) according to manufacturers recommendations.
- 12. All trees in sod areas to have a 30" ring covered w/ a 2" layer of shredded mulch. Cover all shrub beds w/ a 2" layer of shredded mulch (other than cypress).
- 13. Sod shall be St. Augustine 'Flor-Tam' (unless otherwise noted) laid w/ alternating abutting joints. Sod shall be laid to edge of curb or right of way. Sod in all areas not covered w/ plant material, paving, gravel or mulch. Sod to be laid level and w/ tight joints. Edges to be clean and smoothly cut to follow outline shown. Landscape Contractor responsible for take-off and 100% coverage of areas.
- 14. Where quantities and/or species differ between the planting plans and plant lists, the plans shall take precedence.
- 15. Landscape Contractor is responsible for doing a take-off of the attached plans. Plant list provided is for guidance only. Landscape Contractor, in submitting a proposal based on these plans, is responsible for all materials as noted on plans.
- 16. Discrepancies shall be brought to the attention of the Landscape Architect.
- 17. No changes shall be made without the prior consent of the Landscape Architect.
- 18. All planting beds shall be treated w/ a pre-emergent herbicide as approved by the Landscape Architect.
- 19. Landscape Contractor is responsible for coordinating with the General Contractor or Owner any and all conditions which may affect the scope of work.
- 20. Landscape contractor shall include in bid all materials and labor as required to complete the job as indicated on the plans and as directed by the General Contractor. Bid shall include, filter fabric, drainage mat, protection board, mulch, crane and other equip., etc..
- 21. All plant material shall meet or exceed specifications listed. but not be limited to, plant materials, planting soil and placement,
- 22. All planted beds shall recieve 100% coverage by a fully automatic irrigation system as per plans.
- 23. Landscape Contractor shall be responsible for providing temporary watering provisions until such time as the irrigation system is operational.
- 24. All areas labelled mulch/gravel to recieve a 2" layer of material over a weed barrier material.

plant details







small tree planting detail

landscape legend

Net Lot Area <u>19.312</u> acres <u>841,261</u> s.f. Zoning District PROVIDED REQUIRED **OPEN SPACE** A. Square Feet of open space required by Chapter 22, as indicated on site plan: 336,504 1/2 361,934 Net Lot Area =  $841,261 \checkmark$  s.f. x  $40 \% = 336,504 \checkmark$  s.f. B. Square Feet of parking lot open space required by Chapter 18A, as indicated on site plan: No. parking spaces 531 \_\_\_\_ x 10 s.f. per parking space = C. Total s.f. of landscaped open space required by Chapter 33: A+i3 = LAWN AREA CALCULATION A. 341,814 total s.f. of landscaped open space required by chapter 33 341,814 V 367,244 102,544 2 B. Maximum lawn area (sod) permitted = 30 % x 341,814 s.f. = A. No. trees required per net lot acre 28 28 trees x 19.312 Net Lot Acres Less existing number of trees meeting minimum requirements B. % Palms allowed: No trees provided x 30% Less existing number of trees meeting minimum requirements C. % Natives Required: No. trees provided x 30% D. Street Trees (maximum average spacing of 25' o.c. - palms): 1690 linear feet along street / 35 Less existing number of trees meeting minimum requirements E. Street Trees located directly beneath power lines (maximum average spacing of 25' o.c.): x na/ along street/25 = SHRUBS A. No. trees required 590 x 10 + No. of shrubs required B. % Natives required: No. shrubs required 5900

> All areas to be 100% covered by fully automatic irrigation system

general revision 02.17.05 qeneral revision 01.31.05

MIAMI-DADE PLANNING, AND ZONING DEFT.

general revision 01.06.04 city comments 12.11.03 12.5.03 11.03.03

8.25.03 8.7.03 5.15.03 0302 Job number

plant specifications, details and tabular data

Sheet number